TensionLite Plus 10 ft. Curve Shape Mural Wall Design 5

TensionLite is a collection of sophisticated, ergonomically designed exhibit booths. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the Formulate line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and drycleanable.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- State-of-the-art 30mm aluminum tube
- frame with snap button assembly
- Easy to store and ship
- Quick to set up

- Design includes: one frame, one dyesublimated pillowcase zipper graphic, stand-off counter, and one wheeled molded OCL and OCH2 storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit:	Total visual area:
112.06"w x 92.763"h x 32.601"d	123.125"w x 92"h
Stand-off counter:	Stand-off graphic total visual area: Top:
23.6"w x 92.7"h x 21.2"d	21"w x 17"h
	Bottom: 21"w x 38"h
Approximate weight (includes graphic):	
46.5 lbs / 21 kgs	Please be sure to include a 2" bleed around
10.5 105 / 21 125	the perimeter of dye-sublimated graphics
	and a $1/2$ " bleed around the perimeter of
Shipping	PCV graphics.
	rev graphies.
Shipping dimensions - ships in two cases:	Refer to related graphic template for more
One OCL case: 19° x 19° w x 56° h	information.
One OCH2 case: 52"l x 30"w x 15"h	
One OO112 case, 32 1 X 30 W X 13 11	
Approximate shipping weight (with cases):	
96.5 lbs / 43.7 kgs	
70.5 105 / 15.7 Kgs	

additional information:


Graphic materials: Dye-sublimated zipper pillowcase fabric, 3mm white PVC, 6mm white PVC

Counter holds max weight = 10 lbs / 4.5 kgs

Table colors:




Parts Included			
Part Label	Qty	Part Code	
FABRIC GRAPHIC	x1	WH10-01-G	
90 DEGREE ELBOW JOINT FOR 30MM TUBING	x4	TC-30-90	
T JUNCTION FOR 30MM TUBING	x6	TC-30-T	
4 WAY JUNCTION FOR 30MM TUBING	x2	TC-30-X	
R2000MM X 30MM TUBE (997MM ARC)	x9	WH10-01-T1	
1114MM X 30MM TUBE	x8	WH10-01-T2	




Parts Included			
Part Label	Qty	Part Code	
520 X 300 X 30 COUNTER	x1	CTWL03	
PARALLEL TUBE CLAMP FOR 30MM TUBES	x2	TCP-3030	
30MM TUBE SECTION	x2	WL-T3	
30MM TUBE SECTION	x1	WL-T12	
30MM TUBE SECTION	x1	WL-T1	
TOP SINTRA GRAPHIC	x1	WLLH-T-G	
BOTTOM SINTRA GRAPHIC	x1	WLLH-G-B	







STEP 1: ASSEMBLE FRAME




STEP 2: ATTACH GRAPHIC




STEP 4: ATTACH COUNTER TO LADDER










STEP 5: ATTACH GRAPHICS










STEP 6: ATTACH TO BACKWALL WITH CLAMPS





STEP 3: ASSEMBLE LADDER FRAME





Using provided 5mm hex key, rotate bolt clockwise to secure accent to top of fabric backwall.